




Telecom Connectors


50 SERIES - UK PLUG



Left Hand Assembly Shown



Right Hand Latch



Left Hand Latch

Technical Data

<p>Specifications:</p> <p>Housing : Unfilled Polyester, White</p> <p>Contact : Phosphor Bronze</p> <p>Plating : Selective Gold In Contact Area Over 1.27um / 50u" nickel</p> <p>Insertion Force : Latch Inoperative 4 Way 10N Max. 6 Way 15N Max.</p> <p>Insertion Force : Unlatch 4 Way 10N Max. 2N Min. 6 Way 15N Max. 2N Min.</p>	<p>Voltage Rating : 200V DC</p> <p>Current Rating : 250A DC Per Contact</p> <p>Contact Resistance : 100 Milliohms Max. (Includes 75mm Cordage). 20 Milliohms Max. Rise After Test</p> <p>Insulation Resistance: 100 Megohms Min. At 500V DC</p>
--	---

Ordering Information

E	50	6	<input type="checkbox"/>	-	0	0	<input type="checkbox"/>	1	1	<input type="checkbox"/>
Series Number		No. Of Positions								Gold Plating: 1-6u" 2-6u" 3-15u" 4-30u" 5-50u"
No. Of Contacts (2,4,6)										Color Of Housing White
										Latch: 2-Right 3-Left

Westfield Electronics

1


TEL: +44 1488 685183 www.westfielduk.com FAX: +44 1488 685430

Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
United Kingdom

Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e-mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE

Telecom Connectors

50 SERIES - 4P PLUG




Technical Data

MATERIAL & FINISH :

Housing : Material Polycarbonate (PC) 94-V2
 Contact Blade : 1) High Strength Copper Alloy [JIS C5191R-H(PBR-2)]
 2) Our Electro-Plating Is Based On 100 Micro Inches Nickel Underplated, And Selective Gold Plated In Contact Area.

Ordering Information




Westfield Electronics

TEL: +44 1488 685183 www.westfielduk.com FAX: +44 1488 685430
Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
United Kingdom

Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e –mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE

Telecom Connectors

50 SERIES - 6P PLUG



•FOR STANDARD WIRE
2 Prongs Contacts

•FOR SOLID WIRE
2 Prongs Contacts


•FOR SOLID WIRE
3 Prongs Contacts

Technical Data

MATERIAL & FINISH :

Housing : Material Polycarbonate (PC) 94-V2
 Contact Blade : 1) High Strength Copper Alloy [JIS C5191R-H(PBR-2)]
 2) Our Electro-Plating Is Based On 100 Micro Inches Nickel Underplated, And Selective Gold Plated In Contact Area.

Ordering Information



Westfield Electronics

3

TEL: +44 1488 685183 www.westfielduk.com FAX: +44 1488 685430

Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
 United Kingdom

Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e –mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE

Telecom Connectors

50 SERIES - 8P PLUG (SHORT BODY)

For Round Cable

For Oval Flat Cable

Technical Data

- FOR STANDARD WIRE
2 Prongs Contact

Housing : Material Polycarbonate (PC) 94-V2
 Contact Blade : 1) High Strength Copper Alloy [JIS C5191R-H(PBR-2)]
 2) Our Electro-Plating Is Based On 100 Micro Inches Nickel Underplated, And Selective Gold Plated In Contact Area.

Ordering Information

E 50 8 - 0 0 0 0

Series Number

No. Of Positions

No. Of Contacts (2,4,6,8)

Gold Plating:
 1-GF 2-6u" 3-15u"
 4-30u" 5-50u"

Type Of Housing & Contacts:
 1-Standard Type, (Flat Cable) No Key

Color Of Housing
 Water Clear

Westfield Electronics

4


TEL: +44 1488 685183 www.westfield.co.uk FAX: +44 1488 685430

Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
 United Kingdom

Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e-mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE

Telecom Connectors

50 SERIES - 8P PLUG



Westfield Electronics

5


TEL: +44 1488 685183 www.westfielduk.com FAX: +44 1488 685430

Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
 United Kingdom

Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e –mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE

Telecom Connectors


50 SERIES - 8P PLUG <STP>



Technical Data

Housing : Material Polycarbonate (PC) 94-V2
 Contact Blade : 1) High Strength Copper Alloy [JIS C5191R-H(PBR-2)]
 2) Our Electro-Plating Is Based On 100 Micro Inches Nickel Underplated, And Selective Gold Plated In Contact Area.
 Shield : 0.25mm Thickness Bronze Plated 100 Micro Inches Nickel

Ordering Information



Westfield Electronics

6

TEL: +44 1488 685183 www.westfielduk.com FAX: +44 1488 685430

Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
 United Kingdom






Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e-mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE

Telecom Connectors


50 SERIES - 10P PLUG




Detail A



•FOR STANDARD WIRE
2 Prongs Contact



•FOR SOLID WIRE
2 Prongs Contact



•FOR SOLID WIRE
3 Prongs Contact


Technical Data

Housing : Material Polycarbonate (PC) 94-V2

Contact Blade 1) High Strength Copper Alloy [JIS C5191R-H(PER-2)]

2) Our Electro-Plating Is Based On 100 Micro Inches Nickel Underplated, And Selective Gold Plated In Contact Area.

Ordering Information



Westfield Electronics

TEL: +44 1488 685183 www.westfielduk.com FAX: +44 1488 685430

Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
United Kingdom

Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e-mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE

Telecom Connectors

Faxback Enquiries to Westfield Electronics on: +44 (0) 1488 685430

SAMPLES / QUOTATION / TECHNICAL ASSISTANCE ON THE FOLLOWING:

Competition Part Number	Your Part Number	Westfield Part Number	Quantity per Delivery / Year	Target Price USD OR £

Notes / Descriptions:.....

Your Name:.....
Company:.....
Address:.....

Tel:..... **Fax:**.....
E-Mail:

Urgent: SAMPLES / QUOTE / DATA / TECHNICAL ASSISTANCE NEEDED

Westfield Electronics
TEL: +44 1488 685183 www.westfielduk.com **FAX: +44 1488 685430**
Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
United Kingdom

Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e –mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE

Telecom Connectors

Cable Assemblies

Please supply ourselves with a Assembly Specification:

End 'A': Connector Type: No of Ways:
Cover / Boot: Colour:
Plastic / Metalised / Metal / Rubber

End 'B': Connector Type: No of Ways:
Cover / Boot: Colour:
Plastic / Metalised / Metal / Rubber

Cable: Conductor Size: Solid / Stranded:
Round / Flat / Oval:

Multiconductor: OR Multipair:
No of Conductors: OR No of Pairs:

Screen: Overall Braid: None:
Overall Foil: Individual Foil:

Colour of Cable outer: Quantity: Delivery:

Length of Cable Assembly: (measured from outer face of each connector with tolerance please.

Wiring Configuration: Please Specify, eg Pin1 to Pin 1, or a detailed specification.

Sketch:-

Westfield Electronics

10

TEL: +44 1488 685183 www.westfielduk.com FAX: +44 1488 685430

Unit 2, Station Yard, Station Road, Hungerford, Berkshire, RG17 ODY
United Kingdom

Please note – due to technical progress, all designs, specifications, data sheets & components are subject to change without notice. All product information contained in this catalogue / data sheet is for information only – not for specification. Please call / fax / e –mail for samples & full engineering drawings, Certificates of Conformance issued if required. E&OE